



Consulate of the United States of America
Fukuoka, Japan

July 17, 2020

Dear Prospective Offerors:

SUBJECT: Request for Quotations (RFQ) Number 19JA25-20-Q-0145
Townhouses Roof Coating Repair in the U.S. Consulate in
Fukuoka

U.S. Consulate Fukuoka seeks to enter into a contract with a qualified, responsible, and reliable firm with sufficient knowledge and facilities for Townhouses Roof Coating Repair in the U.S. Consulate in Fukuoka.

Note: As required by U.S. Government's federal acquisition regulation (FAR), prospective offeror shall be registered in the System for Award Management (SAM) database prior to award of a contract. The website link providing additional vendor registration information is: <https://www.sam.gov/portal/SAM/#1#1>.

If you are interested in submitting a quote on this project, follow the instructions in Section J.2 of "SUBMISSION OF QUOTATIONS", complete the required portions of the enclosed document, and submit to the address shown on the next page.

1. Pre-quotation Conference and Site Visit

a. To provide all the quoters with a uniform explanation of requirements, the U.S. Consulate Fukuoka will hold a pre-quotation conference and site visits on the following date, time, and location

Date and Time: **1:00 p.m., Wednesday July 29, 2020 (local time),**
Location: American Consulate Fukuoka
Ohori 2-5-26, Chuo-ku,
Fukuoka city, Fukuoka, 810-0052, Japan

Note: The U.S. Consulate does not provide parking spaces at the Consulate. All participants must arrange their own parking place.

b. All interested quoters who wish to attend must submit individual name(s), company name/address, telephone/fax numbers, and e-mail address to Ayaka Ogawara at e-mail: OgawaraAX@state.gov by no later than **12:00 noon, Monday, July 27 2020 (local time)**, to arrange entry to the Consulate buildings.

c. Attendee(s) must present an identification (ID) card (e.g. driver's license, passport, etc.) with photo on it when entering the buildings.

d. Photography is NOT ALLOWED within the Consulate building, Residential areas, and grounds and all cameras must be left outside or with the guard at the entrance.

2. Questions

Following the Site Visits, interested quoters may submit questions in English in regard to this RFQ by **3:00 p.m., July 31, 2020**, via e-mail at OgawaraAX@state.gov. All questions will be consolidated and one response will be released and posted on the Embassy's website at <http://japan2.usembassy.gov/e/info/tinfo-solicitations.html>. Attendees will be notified via email once the answers are ready on website.

3. Quotations

Quotations must be received by no later than **3:00 p.m., Wednesday August 12, 2020 (local time)**, to Ayaka Ogawara of U.S. Consulate Fukuoka, via e-mail. No quotations will be accepted after closing date and time, and no electronic quotations shall be accepted.

It is understood that no payment will be made for preparation and submission of your quotation.

Thank you in advance for your interest and your time in participating in the Request for Quotations process.

Sincerely,

A handwritten signature in black ink, appearing to read 'A. T. Staples'.

Andrew T. Staples
Contracting Officer

Enclosure:

Request for Quotations 19JA25-20-Q-0145

REQUEST FOR QUOTATIONS (RFQ) <i>(THIS IS NOT AN ORDER)</i>			THIS RFQ [] IS [<input checked="" type="checkbox"/>] IS NOT A SMALL BUSINESS SET-ASIDE			PAGE 1	OF 1	PAGES 34
1. REQUEST NO. 19JA25-20-Q-0145		2. DATE ISSUED July 17, 2020		3. REQUISITION/PURCHASE REQUEST NO. PR9286038		4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1		
5A. ISSUED BY Procurement Agent, Management Section U.S. Consulate Fukuoka 2-5-26 Ohori Chuo-ku, Fukuoka city, Fukuoka 810-0052 Japan						6. DELIVER BY (Date)		
5B. FOR INFORMATION CALL: (Name and telephone no.) (No collect calls)						7. DELIVERY		
NAME Ayaka Ogawara				TELEPHONE NUMBER		___ FOB DESTINATION ___ OTHER (See Schedule)		
				AREA CODE +81-92	NUMBER 751-8519			
8. TO:						9. DESTINATION		
a. NAME			b. COMPANY			a. NAME OF CONSIGNEE		
c. STREET ADDRESS						b. STREET ADDRESS		
d. CITY			e. STATE		f. ZIP CODE		c. CITY	
							d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5A ON OR BEFORE: August 12, 2020; 3:00 p.m. (local time)			IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5A. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter					
11. SCHEDULE (Include applicable Federal, State and local taxes)								
ITEM NO. (a)	SUPPLIES/SERVICES (b)				QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)
1	Perform Townhouses Roof Coating Repair in the U.S. Consulate in Fukuoka Japan, in accordance with the terms and conditions of the Request for Quotations.				1	Project		
12 DISCOUNT FOR PROMPT PAYMENT			a. 10 CALENDAR DAYS %		b. 20 CALENDAR DAYS %	c. 30 CALENDAR DAYS %		d. CALENDAR DAYS NUMBER %
NOTE: Additional provisions and representations [<input checked="" type="checkbox"/>] are [] are not attached.								
13 NAME AND ADDRESS OF QUOTER					14 SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15 DATE OF QUOTATION	
a. NAME and ADDRESS OF QUOTER (COMPANY) DUNS No.:								
c. COUNTY					16. SIGNER a. NAME (Type or print)		b. TELEPHONE	
d. CITY	e. STATE		f. ZIP CODE		c. TITLE (Type or print)		AREA CODE	
				NUMBER				

TABLE OF CONTENTS

STANDARD FORM 18 (SF-18) REQUEST FOR QUOTATIONS, the cover sheet

SECTION A: PRICE

SECTION B: SCOPE OF WORK

SECTION C: PACKAGING AND MARKING

SECTION D: INSPECTION AND ACCEPTANCE

SECTION E: DELIVERIES OR PERFORMANCE

SECTION F: ADMINISTRATIVE DATA

SECTION G: SPECIAL REQUIREMENTS

SECTION H: CLAUSES

SECTION I: LIST OF ATTACHMENTS

SECTION J: QUOTATION INFORMATION

SECTION K: EVALUATION CRITERIA

SECTION L: REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF
OFFERORS OR QUOTERS

List of Attachments

Attachment I-1 Statement of Work

Attachment I-2 - Regional Security Office (RSO) Tokyo Security Form

SECTION A: PRICE

A.1 The Contractor shall complete all work, including furnishing all labor, material, equipment and services required under this purchase order for the following firm fixed price and within the time specified. This total price shall include all labor, materials, all insurances, overhead and profit.

Grand Total	_____
Labor: (including all labor, all insurances, overhead and profit)	_____
Materials:	_____

A.2 The U.S. Consulate Fukuoka is exempt from Japanese consumption taxes; therefore, such taxes shall not be included in the price nor charged on invoices. After receipt of the Contractor's invoice, the U.S. Government will provide the Contractor with a signed Certificate of Tax Exemption Purchase for Foreign Establishments. (For non-Designated Stores, please visit the following link for registration: <http://www.nta.go.jp/tetsuzuki/shinsei/annai/shohi/annai/23120184.htm>)

A.3 Offers and Payment in U.S. dollars: U.S. firms are eligible to be paid in U.S. dollars. U.S. firms desiring to be paid in U.S. dollars should submit their offers in U.S. dollars. A U.S. firm is defined as a company which operates as a corporation incorporated under the laws of a state within the United States.

Foreign firms: Any firm, which is not a U.S. firm, is a foreign firm. Any firm that does not meet the above definition of U.S. firm shall submit its prices and receive payment in local currency, Japanese Yen.

SECTION B: SCOPE OF WORK

The character and scope of the work are set forth in the contract, see Attachment I-1 - Scope of Work. The Contractor shall furnish and install all materials required by this contract.

In case of differences between small and large-scale drawings, the latter will govern. Where a portion of the work is drawn in detail and the remainder of the work is indicated in outline, the parts drawn in detail shall apply also to all other portions of the work.

SECTION C: PACKAGING AND MARKING

The Contractor shall mark materials delivered to the site as follows:

U.S. Consulate Fukuoka
Attn: Facility Management Office
Ohori 2-5-26, Chuo-ku, Fukuoka city, Fukuoka,
810-0052, Japan

SECTION D: INSPECTION AND ACCEPTANCE

The Contracting Officer's Representative (COR), or his/her authorized representatives, will inspect from time to time the services being performed and the supplies furnished to determine whether work is being performed in a satisfactory manner, and that all supplies are of acceptable quality and standards.

The Contractor shall be responsible for any countermeasures or corrective action, within the scope of this contract, which may be required by the Contracting Officer as a result of such inspection.

D.1 SUBSTANTIAL COMPLETION

(a) "*Substantial Completion*" means the stage in the progress of the work as determined and certified by the Contracting Officer in writing to the Contractor, on which the work (or a portion designated by the Government) is sufficiently complete and satisfactory. Substantial completion means that the property may be occupied or used for the purpose for which it is intended, and only minor items such as touch-up, adjustments, and minor replacements or installations remain to be completed or corrected which:

- (1) do not interfere with the intended occupancy or utilization of the work, and
- (2) can be completed or corrected within the time period required for final completion.

(b) The "date of substantial completion" means the date determined by the Contracting Officer or authorized Government representative as of which substantial completion of the work has been achieved.

Use and Possession upon Substantial Completion - The Government shall have the right to take possession of and use the work upon substantial completion. Upon notice by the Contractor that the work is substantially complete (a Request for Substantial Completion) and an inspection by the Contracting Officer or an authorized Government representative (including any required tests), the Contracting Officer shall furnish the Contractor a Certificate of Substantial Completion. The certificate will be accompanied by a Schedule of Defects listing items of work remaining to be performed, completed or corrected before final completion and acceptance. Failure of the Contracting Officer to list any item of work shall not relieve the Contractor of responsibility for complying with the terms of the contract. The Government's possession or use upon substantial completion shall not be deemed an acceptance of any work under the contract.

D.2 FINAL COMPLETION AND ACCEPTANCE

D.2.1 "Final completion and acceptance" means the stage in the progress of the work as determined by the Contracting Officer and confirmed in writing to the Contractor, at which all work required under the contract has been completed in a satisfactory manner, subject to the discovery of defects after final completion, and except for items specifically excluded in the notice of final acceptance.

D.2.2 The "*date of final completion and acceptance*" means the date determined by the Contracting Officer when final completion of the work has been achieved, as indicated by written notice to the Contractor.

D.2.3 FINAL INSPECTION AND TESTS. The Contractor shall give the Contracting Officer at least five (5) days advance written notice of the date when the work will be fully completed and ready for final inspection and tests. Final inspection and tests will be started not later than the date specified in the notice unless the Contracting Officer determines that the work is not ready for final inspection and so informs the Contractor.

D.2.4 FINAL ACCEPTANCE. If the Contracting Officer is satisfied that the work under the contract is complete (with the exception of continuing obligations), the Contracting Officer shall issue to the Contractor a notice of final acceptance and make final payment upon:

- (a) Satisfactory completion of all required tests,
- (b) A final inspection that all items by the Contracting Officer listed in the Schedule of Defects have been completed or corrected and that the work is finally complete (subject to the discovery of defects after final completion), and
- (c) Submittal by the Contractor of all documents and other items required upon completion of the work, including a final request for payment (Request for Final Acceptance).

SECTION E: DELIVERIES OR PERFORMANCE

E.1 FAR 52.211-10 COMMENCEMENT, PROSECUTION, AND COMPLETION OF WORK (APR 1984)

The Contractor shall be required to:

- (a) commence work under this contract on the date specified in the notice to proceed,
- (b) prosecute the work diligently, and,
- (c) complete the entire work ready for use not later than XX (will be announced in the site visit) calendar days after commencement of work. This duration includes scheduling and material order.

The time stated for completion shall include final cleanup of the premises and completion of punch list items.

E.2 FAR 52.211-12 LIQUIDATED DAMAGES - CONSTRUCTION (SEPT 2000)

- (a) If the Contractor fails to complete the work within the time specified in the contract, or any extension, the Contractor shall pay liquidated damages to the Government in the amount of ¥100,000 for each calendar day of delay until the work is completed or accepted.
- (b) If the Government terminates the Contractor's right to proceed, liquidated damages will continue to accrue until the work is completed. These liquidated damages are in addition to excess costs of repurchase under the Default clause.

E.3 CONTRACTOR'S SUBMISSION OF CONSTRUCTION SCHEDULES

- (a) The time for submission of the schedules referenced in FAR 52.236-15, "Schedules for Construction Contracts", paragraph (a), is hereby modified to reflect the due date for submission as 10 calendar days after receipt of an executed contract".
- (b) These schedules shall include the time by which shop drawings, product data, samples and other submittals required by the contract will be submitted for approval.
- (c) The Contractor shall revise such schedules (1) to account for the actual progress of the work, (2) to reflect approved adjustments in the performance schedule, and (3) as required by the Contracting Officer to achieve coordination with work by the Government and any separate contractors used by the Government. The Contractor shall submit a schedule, which sequences work so as to minimize disruption at the job site.

(d) All deliverables shall be in the English language and any system of dimensions (English or metric) shown shall be consistent with that used in the contract. No extension of time shall be allowed due to delay by the Government in approving such deliverables if the Contractor has failed to act promptly and responsively in submitting its deliverables. The Contractor shall identify each deliverable as required by the contract.

(e) Acceptance of Schedule: When the Government has accepted any time schedule; it shall be binding upon the Contractor. The completion date is fixed and may be extended only by a written contract modification signed by the Contracting Officer. Acceptance or approval of any schedule or revision thereof by the Government shall not:

- (1) Extend the completion date or obligate the Government to do so,
- (2) Constitute acceptance or approval of any delay, or
- (3) Excuse the Contractor from or relieve the Contractor of its obligation to maintain the progress of the work and achieve final completion by the established completion date.

E.4 NOTICE OF DELAY

If the Contractor receives a notice of any change in the work, or if any other conditions arise which are likely to cause or are actually causing delays which the Contractor believes may result in late completion of the project, the Contractor shall notify the Contracting Officer. The Contractor's notice shall state the effect, if any, of such change or other conditions upon the approved schedule, and shall state in what respects, if any, the relevant schedule or the completion date should be revised. The Contractor shall give such notice promptly, not more than ten (10) days after the first event giving rise to the delay or prospective delay. Only the Contracting Officer may make revisions to the approved time schedule.

E.5 NOTICE TO PROCEED

(a) After receiving and accepting any bonds or evidence of insurance, the Contracting Officer will provide the Contractor a Notice to Proceed. The Contractor must then prosecute the work, commencing and completing performance not later than the time period established in the contract.

(b) It is possible that the Contracting Officer may elect to issue the Notice to Proceed before receipt and acceptance of any bonds or evidence of insurance. Issuance of a Notice to Proceed by the Government before receipt of the required bonds or insurance certificates or policies shall not be a waiver of the requirement to furnish these documents.

E.6 WORKING HOURS

All work shall be performed during the hours between 9:00 a.m. and 5:00 p.m., Monday through Friday, except Japanese and U.S. holidays. Some work may be carried out during the weekends or after hours as advised by the COR/POSHO. Other hours, if requested by the Contractor, may be approved by the Contracting Officer's Representative (COR). The Contractor shall give 24 hours in advance to COR who will consider any deviation from the hours identified above. Changes in work hours, initiated by the Contractor, will not be a cause for a price increase.

E.7 PRECONSTRUCTION CONFERENCE

A preconstruction conference will be held 10 days after contract award at the U.S. Consulate Fukuoka (Ohori 2-5-26, Chuo-ku, Fukuoka 810-0052, Japan) to discuss the schedule, submittals, notice to proceed, mobilization and other important issues that effect construction progress. See FAR 52.236-26, Preconstruction Conference.

E.8 DELIVERABLES

DELIVERABLES - The following items shall be delivered under this contract:			
<u>Description</u>	<u>Quantity</u>	<u>Deliver Date</u>	<u>Deliver To</u>
Subsection E.3 - Construction Schedule	1	10 days after award	COR
Subsection E.7 - Preconstruction Conference	1	10 days after award	COR
Subsection F.2 - Payment Request	1	Last calendar day of each month	COR
Subsection G.2 Insurance	1	10 days after award	CO
Subsection G.5.2 - Construction Personnel (RSO Tokyo Security Form)	1	10 days after award	COR

SECTION F: ADMINISTRATIVE DATA

F.1 DOSAR 652.242-70 CONTRACTING OFFICER'S REPRESENTATIVE (COR) (AUG 1999)

(a) The Contracting Officer may designate in writing one or more Government employees, by name or position title, to take action for the Contracting Officer under this contract. Each designee shall be identified as a Contracting Officer's Representative (COR). Such designation(s) shall specify the scope and limitations of the authority so delegated; provided, that the designee shall not change the terms or conditions of the contract, unless the COR is a warranted Contracting Officer and this authority is delegated in the designation.

(b) The COR for this contract is Maintenance Foreman/Inspector at the U.S. Consulate Fukuoka, Japan.

F.2 Payment. The Contractor's attention is directed to Section H, 52.232-5, "Payments Under Fixed-Price Construction Contracts". The following elaborates on the information contained in that clause.

Requests for payment, may be made no more frequently than monthly. Payment requests shall cover the value of labor and materials completed and in place, including a prorated portion of overhead and profit.

After receipt of the Contractor's request for payment, and on the basis of an inspection of the work, the Contracting Officer shall make a determination as to the amount, which is then due. If the Contracting Officer does not approve payment of the full amount applied for, less the retainage allowed by in 52.232-5, the Contracting Officer shall advise the Contractor as to the reasons.

Under the authority of 52.232-27(a), the 14 day period identified in FAR 52.232-27(a) (1) (i) (A) is hereby changed to 30 days.

F.3 Invoice Submission. The Contractor shall submit invoices one original to the following address, or the Contractor may submit invoices electronically to TokyoInvoices@state.gov. To constitute a proper invoice, the invoice shall include all the items required by FAR 32.905(e).

U.S. Embassy
Attn: FMC (Invoice/PO No. 19JA2520P0145)
1-10-5 Akasaka
Minato-ku, Tokyo 107-8420
Japan

SECTION G: SPECIAL REQUIREMENTS

G.1 Reserved.

G.2. INSURANCE

The Contractor is required by FAR 52.228-5, "Insurance - Work on a Government Installation" to provide whatever insurance is legally necessary. The Contractor shall at its own expense provide and maintain during the entire performance period the following insurance amounts:

G.2.1 GENERAL LIABILITY (includes premises/operations, collapse hazard, products, completed operations, contractual, independent contractors, broad form property damage, personal injury):

(1) BODILY INJURY, ON OR OFF THE SITE, IN JAPANESE YEN	
Per Occurrence	¥30,000,000
Cumulative	¥90,000,000
(2) PROPERTY DAMAGE, ON OR OFF THE SITE, IN JAPANESE YEN	
Per Occurrence	¥3,000,000
Cumulative	¥9,000,000

G.2.2 The foregoing types and amounts of insurance are the minimums required. The Contractor shall obtain any other types of insurance required by local law or that are ordinarily or customarily obtained in the location of the work. The limit of such insurance shall be as provided by law or sufficient to meet normal and customary claims.

G.2.3 The Contractor agrees that the Government shall not be responsible for personal injuries or for damages to any property of the Contractor, its officers, agents, servants, and employees, or any other person, arising from and incident to the Contractor's performance of this contract. The Contractor shall hold harmless and indemnify the Government from any and all claims arising therefrom, except in the instance of gross negligence on the part of the Government.

G.2.4 The Contractor shall obtain adequate insurance for damage to, or theft of, materials and equipment in insurance coverage for loose transit to the site or in storage on or off the site.

G.2.5 The general liability policy required of the Contractor shall name "the United States of America, acting by and through the Department of State", as an additional insured with respect to

operations performed under this contract.

G.3 DOCUMENT DESCRIPTIONS

G.3.1 SUPPLEMENTAL DOCUMENTS: The Contracting Officer shall furnish from time to time such detailed drawings and other information as is considered necessary, in the opinion of the Contracting Officer, to interpret, clarify, supplement, or correct inconsistencies, errors or omissions in the Contract documents, or to describe minor changes in the work not involving an increase in the contract price or extension of the contract time. The Contractor shall comply with the requirements of the supplemental documents, and unless prompt objection is made by the Contractor within 20 days, their issuance shall not provide for any claim for an increase in the Contract price or an extension of contract time.

G.3.1.1 RECORD DOCUMENTS. The Contractor shall maintain at the project site:

- (1) a current marked set of Contract drawings and specifications indicating all interpretations and clarification, contract modifications, change orders, or any other departure from the contract requirements approved by the Contracting Officer; and,
- (2) a complete set of record shop drawings, product data, samples and other submittals as approved by the Contracting Officer.

G.3.1.2 "As-Built" Documents: After final completion of the work, but before final acceptance thereof, the Contractor shall provide:

- (1) a complete set of "as-built" drawings, based upon the record set of drawings, marked to show the details of construction as actually accomplished; and,
- (2) record shop drawings and other submittals, in the number and form as required by the specifications.

G.4 LAWS AND REGULATIONS

The Contractor shall, without additional expense to the Government, be responsible for complying with all laws, codes, ordinances, and regulations applicable to the performance of the work, including those of the host country, and with the lawful orders of any governmental authority having jurisdiction. Host country authorities may not enter the construction site without the permission of the Contracting Officer. Unless otherwise directed by the Contracting Officer, the Contractor shall comply with the more stringent of the requirements of such laws, regulations and orders and of the contract. In the event of a conflict between the contract and such laws, regulations and orders, the Contractor shall promptly advise the Contracting Officer of the conflict and of the Contractor's proposed course of action for resolution by the Contracting Officer.

G.4.1 The Contractor shall comply with all local labor laws, regulations, customs and practices pertaining to labor, safety, and similar matters, to the extent that such compliance is not inconsistent with the requirements of this contract.

G.4.2 The Contractor shall give written assurance to the Contracting Officer that all subcontractors and others performing work on or for the project have obtained all requisite licenses and permits.

G.4.3 The Contractor shall submit proper documentation and evidence satisfactory to the Contracting Officer of compliance with this clause.

G.5 CONSTRUCTION PERSONNEL

The Contractor shall maintain discipline at the site and at all times take all reasonable precautions to prevent any unlawful, riotous, or disorderly conduct by or among those employed at the site. The Contractor shall ensure the preservation of peace and protection of persons and property in the neighborhood of the project against such action. The Contracting Officer may require, in writing that the Contractor remove from the work any employee that the Contracting Officer deems incompetent, careless, insubordinate or otherwise objectionable, or whose continued employment on the project is deemed by the Contracting Officer to be contrary to the Government's interests.

G.5.1 If the Contractor has knowledge that any actual or potential labor dispute is delaying or threatens to delay the timely performance of this contract, the Contractor shall immediately give notice, including all relevant information, to the Contracting Officer.

G.5.2 After award, the Contractor has ten calendar days to submit to the Contracting Officer a list of workers and supervisors assigned to this project for the Government to conduct all necessary security checks. It is anticipated that security checks will take 30 days to perform. See Attachment I-3 - RSO Tokyo Security Form for applying Consulate access batch.

Failure to provide any of the above information may be considered grounds for rejection and/or resubmittal of the application. Once the Government has completed the security screening and approved the applicants a badge will be provided to the individual for access to the site. This badge may be revoked at any time due to the falsification of data, or misconduct on site.

G.5.3 Reserved.

G.6 Materials and Equipment - All materials and equipment incorporated into the work shall be new and for the purpose intended, unless

otherwise specified. All workmanship shall be of good quality and performed in a skillful manner that will withstand inspection by the Contracting Officer.

G.7 SPECIAL WARRANTIES

G.7.1 Any special warranties that may be required under the contract shall be subject to the stipulations set forth in 52.246-21, "Warranty of Construction", as long as they are not in conflict.

G.7.2 The Contractor shall obtain and furnish to the Government all information required to make any subcontractor's, manufacturer's, or supplier's guarantee or warranty legally binding and effective. The Contractor shall submit both the information and the guarantee or warranty to the Government in sufficient time to permit the Government to meet any time limit specified in the guarantee or warranty, but not later than completion and acceptance of all work under this contract.

G.8 EQUITABLE ADJUSTMENTS

Any circumstance for which the contract provides an equitable adjustment that causes a change within the meaning of paragraph (a) of the "Changes" clause shall be treated as a change under that clause; provided, that the Contractor gives the Contracting Officer prompt written notice (within 20 days) stating:

- (a) the date, circumstances, and applicable contract clause authorizing an equitable adjustment and
- (b) that the Contractor regards the event as a changed condition for which an equitable adjustment is allowed under the contract

The Contractor shall provide written notice of a differing site condition within 10 calendar days of occurrence following FAR 52.236-2, Differing Site Conditions.

G.9 ZONING APPROVALS AND PERMITS

The Government shall be responsible for:

- (a) obtaining proper zoning or other land use control approval for the project
- (b) obtaining the approval of the Contracting Drawings and Specifications
- (c) paying fees due for the foregoing; and,
- (d) for obtaining and paying for the initial building permits.

SECTION H: CLAUSES

H.1 FAR 52.252-2 Clauses Incorporated by Reference (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es): <http://www.acquisition.gov/far/> or <http://farsite.hill.af.mil/vffara.htm>. Please note these addresses are subject to change.

If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use the Department of State Acquisition website at <https://www.ecfr.gov/cgi-bin/text-idx?SID=2e978208d0d2aa44fb9502725ecac4e5&mc=true&tpl=/ecfrbrowse/Title48/48chapter6.tpl> to access links to the FAR. You may also use an internet "search engine" (for example, Google, Yahoo, Excite) to obtain the latest location of the most current FAR.

H.2 The following Federal Acquisition Regulation (FAR) clauses are incorporated by reference (48 CFR CH. 1):

<u>CLAUSE</u>	<u>TITLE AND DATE</u>
52.202-1	DEFINITIONS (NOV 2013)
52.204-9	PERSONAL IDENTITY VERIFICATION OF CONTRACTOR PERSONNEL (JAN 2011)
52.204-10	REPORTING EXECUTIVE COMPENSATION AND FIRST-TIER SUBCONTRACT AWARDS (OCT 2018)
52.204-13	SYSTEM FOR AWARD MANAGEMENT MAINTENANCE (OCT 2018)
52.204-18	COMMERCIAL AND GOVERNMENT ENTITY CODE MAINTENANCE (OCT 2018)
52.204-19	INCORPORATION BY REFERENCE OF REPRESENTATIONS AND CERTIFICATIONS (DEC 2014)
52.204-25	PROHIBITION ON CONTRACTING FOR CERTAIN TELECOMMUNICATION AND VIDEO SURVEILLANCE SERVICES OR EQUIPMENT (AUG 2019)
52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED OR PROPOSED FOR DEBARMENT (OCT 2015)
52.209-9	UPDATES OF PUBLICLY AVAILABLE INFORMATION REGARDING RESPONSIBILITY MATTERS (JUL 2013)
52.213-4	TERMS AND CONDITIONS-SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS) (AUG 2019)
52.216-7	ALLOWABLE COST AND PAYMENT (JUN 2013)
52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES (FEB 1997)
52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES (JAN 2018)
52.222-50	COMBATING TRAFFICKING IN PERSONS (FEB 2009)
52.223-18	ENCOURAGING CONTRACTOR POLICIES TO BAN TEXT MESSAGING WHILE DRIVING (AUG 2011)

52.225-13 RESTRICTIONS ON CERTAIN FOREIGN PURCHASES (JUNE 2008)
52.225-14 INCONSISTENCY BETWEEN ENGLISH VERSION AND TRANSLATION OF
CONTRACT (FEB 2000)
52.228-3 WORKERS' COMPENSATION INSURANCE (DEFENSE BASE ACT) (JUL 2014)
52.228-4 WORKERS' COMPENSATION AND WAR-HAZARD INSURANCE OVERSEAS
(APR 1984)
52.228-5 INSURANCE - WORK ON A GOVERNMENT INSTALLATION (JAN 1997)
52.228-11 PLEDGES OF ASSETS (JAN 2012)
52.228-13 ALTERNATIVE PAYMENT PROTECTION (JULY 2000)
52.228-14 IRREVOCABLE LETTER OF CREDIT (NOV 2014)
52.229-6 TAXES - FOREIGN FIXED-PRICE CONTRACTS (FEB 2013)
52.229-7 TAXES- FIXED PRICE CONTRACTS WITH FOREIGN GOVERNMENTS (FEB
2013)
52.232-5 PAYMENTS UNDER FIXED-PRICE CONSTRUCTION CONTRACTS (MAY
2014)
52.232-8 DISCOUNTS FOR PROMPT PAYMENT (FEB 2002)
52.232-11 EXTRAS (APR 1984)
52.232-18 AVAILABILITY OF FUNDS (APR 1984)
52.232-22 LIMITATION OF FUNDS (APR 1984)
52.232-25 PROMPT PAYMENT (JULY 2013)
52.232-27 PROMPT PAYMENT FOR CONSTRUCTION CONTRACTS (MAY 2014)
52.232-33 PAYMENT BY ELECTRONIC FUNDS TRANSFER - SYSTEM FOR AWARD
MANAGEMENT (OCT 2018)
52.232-34 PAYMENT BY ELECTRONIC FUNDS TRANSFER - OTHER THAN
SYSTEM FOR AWARD MANAGEMENT (JULY 2013)
52.233-1 DISPUTES (MAY 2014) *Alternate I (DEC 1991)*
52.233-3 PROTEST AFTER AWARD (AUG 1996)
52.236-2 DIFFERING SITE CONDITIONS (APR 1984)
52.236-3 SITE INVESTIGATION AND CONDITIONS AFFECTING THE WORK
(APR 1984)
52.236-5 MATERIAL AND WORKMANSHIP (APR 1984)
52.236-6 SUPERINTENDENCE BY THE CONTRACTOR (APR 1984)
52.236-7 PERMITS AND RESPONSIBILITIES (NOV 1991)
52.236-8 OTHER CONTRACTS (APR 1984)
52.236-9 PROTECTION OF EXISTING VEGETATION, STRUCTURES, EQUIPMENT,
UTILITIES, AND IMPROVEMENTS (APR 1984)
52.236-10 OPERATIONS AND STORAGE AREAS (APR 1984)
52.236-11 USE AND POSSESSION PRIOR TO COMPLETION (APR 1984)
52.236-12 CLEANING UP (APR 1984)
52.236-13 ACCIDENT PREVENTION (NOV 1991)
52.236-14 AVAILABILITY AND USE OF UTILITY SERVICES (APR 1984)
52.236-15 SCHEDULES FOR CONSTRUCTION CONTRACTS (APR 1984)
52.236-21 SPECIFICATIONS AND DRAWINGS FOR CONSTRUCTION (FEB 1997)
52.236-26 PRECONSTRUCTION CONFERENCE (FEB 1995)
52.242-14 SUSPENSION OF WORK (APR 1984)
52.243-4 CHANGES (JUN 2007)
52.243-5 CHANGES AND CHANGED CONDITIONS (APR 1984)
52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS (AUG 2018)
52.245-2 GOVERNMENT PROPERTY INSTALLATION OPERATION SERVICES (APR
2012)
52.245-9 USE AND CHARGES (APR 2012)

52.246-12 INSPECTION OF CONSTRUCTION (AUG 1996)
52.246-17 WARRANTY OF SUPPLIES OF A NONCOMPLEX NATURE (JUN 2003)
52.246-21 WARRANTY OF CONSTRUCTION (MAR 1994)
52.249-2 TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)
(APR 2012) *Alternate I (SEPT 1996)*
52.249-10 DEFAULT (FIXED-PRICE CONSTRUCTION) (APR 1984)
52.249-14 EXCUSABLE DELAYS (APR 1984)

H.3 The following Department of State Acquisition Regulation (DOSAR) clause(s) is/are set forth in full text:

DOSAR 652.204-70 DEPARTMENT OF STATE PERSONAL IDENTIFICATION CARD
ISSUANCE PROCEDURES (MAY 2011)

(a) The Contractor shall comply with the Department of State (DOS) Personal Identification Card Issuance Procedures for all employees performing under this contract who require frequent and continuing access to DOS facilities, or information systems. The Contractor shall insert this clause in all subcontracts when the subcontractor's employees will require frequent and continuing access to DOS facilities, or information systems.

(b) The DOS Personal Identification Card Issuance Procedures may be accessed at <http://www.state.gov/m/ds/rls/rpt/c21664.htm> .
(End of clause)

DOSAR 652.229-71 PERSONAL PROPERTY DISPOSITION AT POSTS ABROAD (AUG 1999)

Regulations at 22 CFR Part 136 require that U.S. Government employees and their families do not profit personally from sales or other transactions with persons who are not themselves entitled to exemption from import restrictions, duties, or taxes. Should the Contractor experience importation or tax privileges in a foreign country because of its contractual relationship to the United States Government, the Contractor shall observe the requirements of 22 CFR Part 136 and all policies, rules, and procedures issued by the chief of mission in that foreign country.
(End of clause)

CONTRACTOR IDENTIFICATION (JULY 2008)

Contract performance may require contractor personnel to attend meetings with government personnel and the public, work within government offices, and/or utilize government email.

Contractor personnel must take the following actions to identify themselves as non-federal employees:

(1) Use an e-mail signature block that shows name, the office being supported and company affiliation (e.g. "John Smith, Office of Human Resources, ACME Corporation Support Contractor");

- (2) Clearly identify themselves and their contractor affiliation in meetings;
- (3) Identify their contractor affiliation in Departmental e-mail and phone listings whenever contractor personnel are included in those listings; and
- (4) Contractor personnel may not utilize Department of State logos or indicia on business cards.

DOSAR 652.236-70 ADDITIONAL SAFETY MEASURES (OCT 2017)

In addition to the safety/accident prevention requirements of FAR 52.236-13, Accident Prevention Alternate I, the contractor shall comply with the following additional safety measures.

(a) *High Risk Activities.* If the project contains any of the following high risk activities, the contractor shall follow the section in the latest edition, as of the date of the solicitation, of the U.S. Army Corps of Engineers Safety and Health manual, EM 385-1-1, that corresponds to the high risk activity. Before work may proceed, the contractor must obtain approval from the COR of the written safety plan required by FAR 52.236-13, Accident Prevention Alternate I (see paragraph (f) below), containing specific hazard mitigation and control techniques.

- (1) Scaffolding;
- (2) Work at heights above 1.8 meters;
- (3) Trenching or other excavation greater than one (1) meter in depth;
- (4) Earth-moving equipment and other large vehicles;
- (5) Cranes and rigging;
- (6) Welding or cutting and other hot work;
- (7) Partial or total demolition of a structure;
- (8) Temporary wiring, use of portable electric tools, or other recognized electrical hazards. Temporary wiring and portable electric tools require the use of a ground fault circuit interrupter (GFCI) in the affected circuits; other electrical hazards may also require the use of a GFCI;
- (9) Work in confined spaces (limited exits, potential for oxygen less than 19.5 percent or combustible atmosphere, potential for solid or liquid engulfment, or other hazards considered to be immediately dangerous to life or health such as water tanks, transformer vaults, sewers, cisterns, etc.);
- (10) Hazardous materials - a material with a physical or health hazard including but not limited to, flammable, explosive, corrosive, toxic, reactive or unstable, or any operations, which creates any kind of contamination inside an occupied building such as dust from demolition activities, paints, solvents, etc.; or
- (11) Hazardous noise levels as required in EM 385-1 Section 5B or local standards if more restrictive.

(b) *Safety and Health Requirements.* The contractor and all subcontractors shall comply with the latest edition of the U.S. Army Corps of Engineers Safety and Health manual EM 385-1-1, or OSHA 29 CFR parts 1910 or 1926 if no EM 385-1-1 requirements are applicable, and the accepted contractor's written safety program.

(c) *Mishap Reporting.* The contractor is required to report **immediately** all mishaps to the COR and the contracting officer. A "mishap" is any event causing injury, disease or illness, death, material loss or property damage, or incident causing environmental contamination. The mishap reporting requirement shall include fires, explosions, hazardous materials contamination, and other similar incidents that may threaten people, property, and equipment.

(d) *Records.* The contractor shall maintain an accurate record on all mishaps incident to work performed under this contract resulting in death, traumatic injury, occupational disease, or damage to or theft of property, materials, supplies, or equipment. The contractor shall report this data in the manner prescribed by the contracting officer.

(e) *Subcontracts.* The contractor shall insert this clause, including this paragraph (e), with appropriate changes in the designation of the parties, in subcontracts.

(f) *Written program.* The plan required by paragraph (f)(1) of the clause entitled "Accident Prevention Alternate I" shall be known as the Site Safety and Health Plan (SSHP) and shall address any activities listed in paragraph (a) of this clause, or as otherwise required by the contracting officer/COR.

(1) The SSHP shall be submitted at least 10 working days prior to commencing any activity at the site.

The plan must address developing activity hazard analyses

(2) (AHAs) for specific tasks. The AHAs shall define the activities being performed and identify the work sequences, the specific anticipated hazards, site conditions, equipment, materials, and the control measures to be implemented to eliminate or reduce each hazard to an acceptable level of risk. Work shall not begin until the AHA for the work activity has been accepted by the COR and discussed with all engaged in the activity, including the Contractor, subcontractor(s), and Government on-site representatives.

(3) The names of the Competent/Qualified Person(s) required for a particular activity (for example, excavations, scaffolding, fall protection, other activities as specified by EM 385-1-1) shall be identified and included in the AHA. Proof of their competency/qualification shall be submitted to the contracting officer or COR for acceptance prior to the start of that work activity. The AHA shall be reviewed and modified as necessary to address changing site conditions, operations, or change of competent/qualified person(s). (End of clause)

DOSAR 652.242-73 AUTHORIZATION AND PERFORMANCE (AUG 1999)

(a) The Contractor warrants the following:

- (1) That is has obtained authorization to operate and do business in the country or countries in which this contract will be performed;
- (2) That is has obtained all necessary licenses and permits required to perform this contract; and,
- (3) That it shall comply fully with all laws, decrees, labor standards, and regulations of said country or countries during the performance of this contract.

(b) If the party actually performing the work will be a subcontractor or joint venture partner, then such subcontractor or joint venture partner agrees to the requirements of paragraph (a) of this clause.

DOSAR 652.243-70 NOTICES (AUG 1999)

Any notice or request relating to this contract given by either party to the other shall be in writing. Said notice or request shall be mailed or delivered by hand to the other party at the address provided in the schedule of the contract. All modifications to the contract must be made in writing by the Contracting Officer.

(End of clause)

SECTION I: LIST OF ATTACHMENTS

Attachment I-1 Statement of Work

Attachment I-2 Regional Security Office (RSO) Tokyo Security Form

SECTION J: QUOTATION INFORMATION

J.1 QUALIFICATIONS OF OFFERORS

Offerors/quoters must be technically qualified and financially responsible to perform the work described in this solicitation. At a minimum, each Offeror/Quoter must meet the following requirements:

- (1) Be able to understand written and spoken English;
- (2) Have an established business with a permanent address and telephone listing;
- (3) Be able to demonstrate prior construction experience with suitable references;
- (4) Have the necessary personnel, equipment and financial resources available to perform the work;
- (5) Have all licenses and permits required by local law;
- (6) Meet all local insurance requirements;
- (7) Have the ability to obtain or to post adequate performance security, such as bonds, irrevocable letters of credit or guarantees issued by a reputable financial institution;
- (8) Have no adverse criminal record; and
- (9) Have no political or business affiliation which could be considered contrary to the interests of the United States.

J.2 SUBMISSION OF QUOTATIONS

This Request for Quotation is for the performance of the construction services described in STATEMENT OF WORK, and the Attachments which are a part of this Request for Quotation.

Each quotation must consist of one copy of the following:		
VOLUME	TITLE	NUMBER OF COPIES
1.	STANDARD FORM 18 (SF-18) - completion of blocks 11(f), 13a, 14, 15, 16a, 16b, and 16c of the form.	1
2.	SECTION A: PRICE - completion of A.1. Quoters must include the currency which they are submitting their price in.	1
3.	SECTION L - REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF OFFERORS OR QUOTERS - completion of all portions that are applicable.	1
4.	SECTION E - Construction Schedule	1

Quotations must be received by **no later than 3:00 p.m., Wednesday August 12, 2020 (local time)**, to Ayaka Ogawara of U.S. Consulate Fukuoka, via email to the address indicated below: No quotations will

be accepted after closing date and time, and no electronic quotations shall be accepted.

U.S. Consulate Fukuoka
2-5-26 Ohori
Chuo-ku, Fukuoka-city, Fukuoka 810-0052
Attn: Procurement Agent, Management Section
(RFQ No. 19JA25-20-Q-0145)

The quoter shall identify and explain/justify any deviations, exceptions, or conditional assumptions taken with respect to any of the instructions or requirements of this request for quotation in the appropriate volume of the offer.

J.3 52.236-27 SITE VISIT (CONSTRUCTION) (FEB 1995)

(a) The clauses at 52.236-2, Differing Site Conditions, and 52.236-3, Site Investigations and Conditions Affecting the Work, will be included in any contract awarded as a result of this solicitation. Accordingly, quoters are urged and expected to inspect the site where the work will be performed.

(b) A site visit has been scheduled on **Wednesday, July 29** 2020, from 1:00 p.m. to on/about 3:00 p.m. (local time).

(c) Participants shall meet the main entrance of U.S. Consulate Fukuoka, located at Ohori 2-5-26, Chuo-ku, Fukuoka city, Fukuoka, 810-0052, Japan.

J.4 MAGNITUDE OF CONSTRUCTION PROJECT

It is anticipated that the range in price of this contract will be: Between \$100,000 and \$250,000.

J.5 LATE QUOTATIONS Late quotations shall be handled in accordance with Federal Acquisition Regulation (FAR).

J.6 52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates the following provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer.

Also, the full text of a solicitation provision may be accessed electronically at: <http://acquisition.gov/far/index.html/> or

<http://farsite.hill.af.mil/vffara.htm>. Please note these addresses are subject to change.

If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use the Department of State Acquisition website at <http://www.statebuy.state.gov> to access the link to the FAR, or use of an Internet "search engine" (for example, Google, Yahoo or Excite) is suggested to obtain the latest location of the most current FAR.

J.7 The following Federal Acquisition Regulation provisions are incorporated by reference (48 CFR CH. 1):

<u>PROVISION</u>	<u>TITLE AND DATE</u>
52.204-7	SYSTEM FOR AWARD MANAGEMENT (OCT 2018)
52.204-16	COMMERCIAL AND GOVERNMENT ENTITY CODE REPORTING (JUL 2016)
52.214-33S	SUBMISSION OF OFFERS IN THE ENGLISH LANGUAGE (APR 1991)
52.215-1	INSTRUCTIONS TO OFFERORS--COMPETITIVE ACQUISITION (JAN 2004)

SECTION K: EVALUATION CRITERIA

K.1 Evaluation of Quotations

(a) Award will be made to the lowest priced, responsible quoter. The Government reserves the right to reject quotations that are unreasonably low or high in price.

(b) Although the award is to be made to the lowest priced offeror, the U.S. Government may request a list of experience/past performance, licenses/permits if required, and financial statements to determine whether or not the offeror is a responsible contractor.

K.2 The Government will determine acceptability by assessing the offeror's compliance with the terms of the RFQ. The Government will determine responsibility by analyzing whether the apparent successful quoter complies with the requirements of FAR 9.1, including:

- (a) ability to comply with the required performance period, taking into consideration all existing commercial and governmental business commitments;
- (b) satisfactory record of integrity and business ethics;
- (c) necessary organization, experience, and skills or the ability to obtain them;
- (d) necessary equipment and facilities or the ability to obtain them; and
- (e) otherwise, qualified and eligible to receive an award under applicable laws and regulations.

SECTION L: REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS OF
OFFERORS OR QUOTERS

L.1 52.204-3 TAXPAYER IDENTIFICATION (OCT 1998)

(a) Definitions.

"Common parent", as used in this provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

"Taxpayer Identification Number (TIN)", as used in this provision, means the number required by the IRS to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision in order to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325 (d), reporting requirements of 26 USC 6041, 6041A, and 6050M and implementing regulations issued by the Internal Revenue Service (IRS). If the resulting contract is subject to the reporting requirements described in FAR 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the Government (31 USC 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN).

TIN: _____

___ TIN has been applied for.

___ TIN is not required because:

___ Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the U.S. and does not have an office or place of business or a fiscal paying agent in the U.S.;

___ Offeror is an agency or instrumentality of a foreign government;

___ Offeror is an agency or instrumentality of the Federal Government.

(e) Type of Organization.

___ Sole Proprietorship;

___ Partnership;

___ Corporate Entity (not tax exempt);

- ☐ Corporate Entity (tax exempt);
- ☐ Government Entity (Federal, State or local);
- ☐ Foreign Government;
- ☐ International organization per 26 CFR 1.6049-4;
- ☐ Other _____

(f) Common Parent.

☐ Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this clause.

☐ Name and TIN of common parent:

Name _____

TIN _____

L.2 FAR 52.204-8 Annual Representations and Certifications (OCT 2018)

(a)

- (1) The North American Industry classification System (NAICS) code for this acquisition is 238390.
- (2) The small business size standard is \$36.5M.
- (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b)

- (1) If the provision at 52.204-7, System for Award Management, is included in this solicitation, paragraph (d) of this provision applies.
- (2) If the provision at 52.204-7, System for Award Management, is not included in this solicitation, and the Offeror has an active registration in the System for Award Management (SAM), the Offeror may choose to use paragraph (d) of this provision instead of completing the corresponding individual representations and certifications in the solicitation. The Offeror shall indicate which option applies by checking one of the following boxes:
 - ☐ (i) Paragraph (d) applies.
 - ☐ (ii) Paragraph (d) does not apply and the offeror has completed the individual representations and certifications in the solicitation.

(c)

- (1) The following representations or certifications in SAM are applicable to this solicitation as indicated:
 - (i) 52.203-2, Certificate of Independent Price Determination. This provision applies to solicitations when a firm-fixed-price contract or fixed-price contract with economic price adjustment is contemplated, unless—
 - (A) The acquisition is to be made under the simplified acquisition procedures in Part 13;
 - (B) The solicitation is a request for technical proposals under two-step sealed bidding procedures; or

- (C) The solicitation is for utility services for which rates are set by law or regulation.
- (ii) 52.203-11, Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions. This provision applies to solicitations expected to exceed \$250,000.
- (iii) 52.203-18, Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements-Representation. This provision applies to all solicitations.
- (iv) 52.204-3, Taxpayer Identification. This provision applies to solicitations that do not include the provision at 52.204-7, System for Award Management.
- (v) 52.204-5, Women-Owned Business (Other Than Small Business). This provision applies to solicitations that-
- (A) Are not set aside for small business concerns;
 - (B) Exceed the simplified acquisition threshold; and
 - (C) Are for contracts that will be performed in the United States or its outlying areas.
- (vi) 52.209-2, Prohibition on Contracting with Inverted Domestic Corporations-Representation.
- (vii) 52.209-5; Certification Regarding Responsibility Matters. This provision applies to solicitations where the contract value is expected to exceed the simplified acquisition threshold.
- (viii) 52.209-11, Representation by Corporations Regarding Delinquent Tax Liability or a Felony Conviction under any Federal Law. This provision applies to all solicitations.
- (ix) 52.214-14, Place of Performance--Sealed Bidding. This provision applies to invitations for bids except those in which the place of performance is specified by the Government.
- (x) 52.215-6, Place of Performance. This provision applies to solicitations unless the place of performance is specified by the Government.
- (xi) 52.219-1, Small Business Program Representations (Basic & Alternate I). This provision applies to solicitations when the contract will be performed in the United States or its outlying areas.
- (A) The basic provision applies when the solicitations are issued by other than DoD, NASA, and the Coast Guard.
 - (B) The provision with its Alternate I applies to solicitations issued by DoD, NASA, or the Coast Guard.
- (xii) 52.219-2, Equal Low Bids. This provision applies to solicitations when contracting by sealed bidding and the contract will be performed in the United States or its outlying areas.
- (xiii) 52.222-22, Previous Contracts and Compliance Reports. This provision applies to solicitations that include the clause at 52.222-26, Equal Opportunity.
- (xiv) 52.222-25, Affirmative Action Compliance. This provision applies to solicitations, other than those for construction, when the solicitation includes the clause at 52.222-26, Equal Opportunity.
- (xv) 52.222-38, Compliance with Veterans' Employment Reporting Requirements. This provision applies to solicitations when it is

anticipated the contract award will exceed the simplified acquisition threshold and the contract is not for acquisition of commercial items.

(xvi) 52.223-1, Biobased Product Certification. This provision applies to solicitations that require the delivery or specify the use of USDA-designated items; or include the clause at 52.223-2, Affirmative Procurement of Biobased Products Under Service and Construction Contracts.

(xvii) 52.223-4, Recovered Material Certification. This provision applies to solicitations that are for, or specify the use of, EPA-designated items.

(xviii) 52.223-22, Public Disclosure of Greenhouse Gas Emissions and Reduction Goals-Representation. This provision applies to solicitations that include the clause at 52.204-7.

(xix) 52.225-2, Buy American Certificate. This provision applies to solicitations containing the clause at 52.225-1.

(xx) 52.225-4, Buy American--Free Trade Agreements--Israeli Trade Act Certificate. (Basic, Alternates I, II, and III.) This provision applies to solicitations containing the clause at 52.225- 3.

(A) If the acquisition value is less than \$25,000, the basic provision applies.

(B) If the acquisition value is \$25,000 or more but is less than \$50,000, the provision with its Alternate I applies.

(C) If the acquisition value is \$50,000 or more but is less than \$80,317, the provision with its Alternate II applies.

(D) If the acquisition value is \$80,317 or more but is less than \$100,000, the provision with its Alternate III applies.

(xxi) 52.225-6, Trade Agreements Certificate. This provision applies to solicitations containing the clause at 52.225-5.

(xxii) 52.225-20, Prohibition on Conducting Restricted Business Operations in Sudan--Certification. This provision applies to all solicitations.

(xxiii) 52.225-25, Prohibition on Contracting with Entities Engaging in Certain Activities or Transactions Relating to Iran-Representation and Certification. This provision applies to all solicitations.

(xxiv) 52.226-2, Historically Black College or University and Minority Institution Representation. This provision applies to solicitations for research, studies, supplies, or services of the type normally acquired from higher educational institutions.

(2) The following representations or certifications are applicable as indicated by the Contracting Officer:

____ (i) 52.204-17, Ownership or Control of Offeror.

____ (ii) 52.204-20, Predecessor of Offeror.

____ (iii) 52.222-18, Certification Regarding Knowledge of Child Labor for Listed End Products.

____ (iv) 52.222-48, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment--Certification.

____ (v) 52.222-52 Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-- Certification.

____ (vi) 52.223-9, with its Alternate I, Estimate of Percentage of Recovered Material Content for EPA-Designated Products (Alternate I only).

____ (vii) 52.227-6, Royalty Information.

____ (A) Basic.

____ (B) Alternate I.

____ (viii) 52.227-15, Representation of Limited Rights Data and Restricted Computer Software.

(d) The Offeror has completed the annual representations and certifications electronically in SAM accessed through <https://www.sam.gov>. After reviewing the SAM information, the Offeror verifies by submission of the offer that the representations and certifications currently posted electronically that apply to this solicitation as indicated in paragraph (c) of this provision have been entered or updated within the last 12 months, are current, accurate, complete, and applicable to this solicitation (including the business size standard applicable to the NAICS code referenced for this solicitation), as of the date of this offer and are incorporated in this offer by reference (see FAR 4.1201); except for the changes identified below [offeror to insert changes, identifying change by clause number, title, date]. These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

FAR Clause	Title	Date	Change

Any changes provided by the offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications posted on SAM.

(End of Provision)

L.3 52.225-18 PLACE OF MANUFACTURE (SEPT 2006)

(a) *Definitions.* As used in this clause--

"Manufactured end product" means any end product in Federal Supply Classes (FSC) 1000-9999, except--

- (1) FSC 5510, Lumber and Related Basic Wood Materials;
- (2) Federal Supply Group (FSG) 87, Agricultural Supplies;
- (3) FSG 88, Live Animals;
- (4) FSG 89, Food and Related Consumables;
- (5) FSC 9410, Crude Grades of Plant Materials;
- (6) FSC 9430, Miscellaneous Crude Animal Products, Inedible;
- (7) FSC 9440, Miscellaneous Crude Agricultural and Forestry

- Products;
- (8) FSC 9610, Ores;
 - (9) FSC 9620, Minerals, Natural and Synthetic; and
 - (10) FSC 9630, Additive Metal Materials.

"Place of manufacture" means the place where an end product is assembled out of components, or otherwise made or processed from raw materials into the finished product that is to be provided to the Government. If a product is disassembled and reassembled, the place of reassembly is not the place of manufacture.

(b) For statistical purposes only, the offeror shall indicate whether the place of manufacture of the end products it expects to provide in response to this solicitation is predominantly—

- (1) [] In the United States (Check this box if the total anticipated price of offered end products manufactured in the United States exceeds the total anticipated price of offered end products manufactured outside the United States); or
- (2) [] Outside the United States.
(End of provision)

L.4 AUTHORIZED CONTRACTOR ADMINISTRATOR

If the offeror does not fill-in the blanks below, the official who signed the offer will be deemed to be the offeror's representative for Contract Administration, which includes all matters pertaining to payments.

Name:
Address:
Telephone Number:
Fax Number:

L.5 52.225-20 PROHIBITION ON CONDUCTING RESTRICTED BUSINESS OPERATIONS IN SUDAN - CERTIFICATION (AUG 2009)

(a) *Definitions.* As used in this provision—

"Business operations" means engaging in commerce in any form, including by acquiring, developing, maintaining, owning, selling, possessing, leasing, or operating equipment, facilities, personnel, products, services, personal property, real property, or any other apparatus of business or commerce.

"Marginalized populations of Sudan" means—

- (1) Adversely affected groups in regions authorized to receive assistance under section 8(c) of the Darfur Peace and Accountability Act (Pub. L. 109-344) (50 U.S.C. 1701 note); and
- (2) Marginalized areas in Northern Sudan described in section 4(9) of such Act.

"Restricted business operations" means business operations in Sudan that include power production activities, mineral extraction activities, oil-related activities, or the production of military equipment, as those terms are defined in the Sudan Accountability and Divestment Act of 2007 (Pub. L. 110-174). Restricted business operations do not include business operations that the person conducting the business can demonstrate—

- (1) Are conducted under contract directly and exclusively with the regional government of southern Sudan;
- (2) Are conducted pursuant to specific authorization from the Office of Foreign Assets Control in the Department of the Treasury, or are expressly exempted under Federal law from the requirement to be conducted under such authorization;
- (3) Consist of providing goods or services to marginalized populations of Sudan;
- (4) Consist of providing goods or services to an internationally recognized peacekeeping force or humanitarian organization;
- (5) Consist of providing goods or services that are used only to promote health or education; or
- (6) Have been voluntarily suspended.

(b) *Certification*. By submission of its offer, the offeror certifies that it does not conduct any restricted business operations in Sudan.

L.6 52.209-2 Prohibition on Contracting with Inverted Domestic Corporations Representation (Nov 2015)

(a) Definitions. "Inverted domestic corporation" and "subsidiary" have the meaning given in the clause of this contract entitled Prohibition on Contracting with Inverted Domestic Corporations (52.209-10).

(b) Government agencies are not permitted to use appropriated (or otherwise made available) funds for contracts with either an inverted domestic corporation, or a subsidiary of an inverted domestic corporation, unless the exception at 9.108-2(b) applies or the requirement is waived in accordance with the procedures at 9.108-4.


(c) Representation. The Offeror represents that.

- (1) It ☐ is, ☐ is not an inverted domestic corporation; and
- (2) It ☐ is, ☐ is not a subsidiary of an inverted domestic corporation.

L.7 52.204-24 Representation Regarding Certain Telecommunications and
Video Surveillance Services or Equipment (AUG 2019)



SECTION B – STATEMENT of WORK
STAFF DIPLOMATIC TOWNHOUSES ROOF COATING REPAIR
Fukuoka, Japan
July 17, 2020



CONTENTS:

PART ONE GENERAL
PART TWO PRODUCTS
PART THREE EXECUTION
PART FOUR SCHEDULE
PART FIVE DRAWINGS
PART SIX NON-BINDING CONTRACT INFORMATION

OVERSEAS BUILDINGS OPERATIONS
FACILITY MANAGEMENT
Roof & Façade Management Program
WASHINGTON DC 07.17.20 TOWNHOUSE ROOF COATING REPAIR 2

PART ONE – GENERAL

C.1.1 SUMMARY:

- A. The U.S. Consulate Fukuoka and Overseas Building Operations (OBO) Facility Management has a requirement for a solvent-based elastomeric roof coating and roof related repairs on the existing two-story Staff Diplomatic Townhouses (SDA). The Townhouses structure consist of steel and wood framing with a wood roof deck substrate. In 2005, the flat roof membrane was replaced with a single-ply PVC membrane on adhered 100mm roof insulation board. The sloped metal roofs are in good condition and do NOT require repair.
- B. Roof Square Footage
 - 1. Townhouse A: 1,350 Square Feet + 260 linear feet perimeter base flashings
 - 2. Townhouse B: 1,650 Square Feet + 375 linear feet perimeter base flashings
- C. The proposed flat roof repair coating includes, but is not limited to, the following:
 - 1. Clean/Pressure wash flat roof areas and allow to dry.
 - 2. Perform minor repairs to membrane seams and patch all holes.
 - 3. Apply one coat primer on all surfaces and allow to dry.
 - 4. Apply first base coat on all surfaces and allow to dry.
 - 5. Apply second base and fabric on all surfaces and allow to dry.
 - 6. Apply two finish coats over all surfaces and allow to dry.

C.1.2 SUBMITTALS:

- A. Contractor's executed bonds and insurance certificate.
- B. Contractor's crew individual identification information for background checks
- C. Submit list of other subcontractors with evidence of insurance coverage
- D. Project schedule showing work phasing and proposed daily progress.
- E. Construction Accident Prevention Plan (CAPP)

C.1.3 SUBSTITUTIONS AND PRODUCT OPTIONS:

- A. Contractor's Representation: Request for substitution constitutes a representation that Contractor:
 - 1. Has investigated proposed product and determined that it is equal to or superior in all respects to that specified.
 - 2. Shall coordinate installation of accepted substitution into Work and make such other changes as may be required for Work to be complete in all respects.
 - 3. Waives all claims for additional costs, under his responsibility, related to substitution which subsequently becomes apparent.
 - 4. If substitution is not approved or accepted, Contractor shall furnish specified product.

C.1.4 QUALITY CONTROL:

- A. The Consulate and OBO has the right to inspect and test all services, to the extent practicable at all times and places during the work. OBO may perform full time quality assurance inspections [QAI] and tests during construction to confirm the work is installed according to the Construction Documents.

- B. Maintain quality control over suppliers, manufacturers, products, services, site conditions, and workmanship to produce work of specified quality.
- C. Contractor shall be approved by manufacturer to perform the work for the specified guarantee period.

C.1.5 STORAGE OF MATERIALS:

- A. Proper storage of materials is the sole responsibility of Contractor. Keep all labels intact and legible, clearly showing the product, manufacturer, and other pertinent information.
- B. Store materials on site. Cover and protect materials subject to damage by weather, including during transit. Stored materials shall be available for inspection.
- C. Store flammable and volatile liquids in sealed containers located a minimum of 20 feet from existing buildings.
- D. Store roll goods in an upright position.
- E. material, debris, and equipment over the roof deck to avoid damage to the structural deck. Place materials and equipment to be stored on the roof as nearly direct over structural members as can be determined. Secure equipment, material, and debris on the roof to prevent movement by wind or other elements.

C.1.6 TEMPORARY FACILITIES:

- A. Temporary Water:
 - 1. Make arrangements with Consulate for water required for construction. Consulate will pay for cost of water.
 - 2. Do not disrupt existing water service to the building.
 - 3. Provide hoses for conveyance.
- B. Temporary Electrical:
 - 1. Make arrangements with Consulate for temporary electrical service. Consulate will pay energy charges for temporary power and lighting.
 - 2. Notify Consulate prior to each required interruption of mechanical or electrical services in building.
 - 3. Provide all necessary temporary wiring extensions and temporary lighting devices.
- C. Temporary Ladders, Chutes, Scaffolds, Hoists and Cranes:
 - 1. Furnish and maintain temporary ramps, scaffolds, hoists, or chutes as required for proper execution of Work.
 - 2. Provide overhead protection at all building entrances.
 - 3. Restrict debris removal to approved area of building site.
 - 4. Restrict location of construction cranes to areas as approved by Embassy.
 - 5. Such apparatus, equipment, and construction shall meet requirements of applicable local safety and labor laws.

C.1.7 PROJECT PROCEDURES:

- A. Consulate will occupy premises during entire period of construction for the conduct of normal, daily operations. Contractor shall conduct their operations so as to ensure least inconvenience to Consulate's operations.
- B. Contractor shall take precautions to avoid excessive noise or vibration that would disturb Consulate's operations.

- C. The contractor shall identify a Project Site Manager who shall be responsible for the overall management of the project and shall represent the contractor on the site during construction. ~~The Project Site Manager shall speak English.~~
- D. Work shall be performed during regular office hours between 9:00 a.m. and 5:00 p.m. Some work may be carried out during the weekends or after hours as advised by the COR/POSHO. The contractor shall not have access to the building interior except with the permission by the Consulate.

C.1.8 PROJECT SAFETY:

- A. Contractor is responsible for safety and shall comply with all local labor laws, regulations, customs and practices pertaining to labor, safety and similar matters. Contractor shall prepare a Construction Accident Prevention Plan to cover total project safety.
- B. The products being used for this roof coating repair give off vapors while curing. Close and seal all doors and windows near and around work area. Close off and seal all HVAC air intake points, goose necks, and vents with duct tape and polyethylene sheeting. Shutting down the HVAC may be necessary during the work so as not to affect the equipment.

C.1.9 PROJECT SECURITY:

- A. Personnel Clearances: Labor Background checks will require a minimum of 21 days for clearance.
- B. Vehicle Clearances: Submit authorization requests, to include dates, vehicle type, license number, and driver name, for each motorized vehicular implement used on-site.
- C. Access to Site: Contractor shall have limited access to or be admitted into the compound outside the areas designated for the project except with permission by the Consulate.

PART TWO - PRODUCTS**C.2.1 SOLVENT-BASED ELASTOMERIC ROOF COATING MANUFACTURERS**

- A. Provide a high-performance base primers, intermediate coatings, and topcoats made of a proprietary blend of solvent-based polymers (SBS, SEBS, PMMA); that are from single source manufacturer. All accessory materials shall be compatible with one another and with the substrate for application.
- B. Product Manufacturers which meet the specifications include but are not limited to:
 - 1. **Architectural Roof Coatings** - Rowlett, TX
 - 2. **Karnak** - Clark, NJ
 - 3. **US Ply** - Fort Worth, TX
 - 4. **SIKA Corporation** - Lyndhurst, NJ
 - 5. **Alternate Manufacturers** shall equal these product specifications.

C.2.2 MATERIALS and ACCESSORIES

- A. Finish Topcoat: Single-component high solids polymer elastomer. The coating forms a non-breathing, high tensile strength and a highly elastic membrane which is designed to provide heat reduction, cold weather flexibility, chemical, weather and water resistance. Brush, roller, or spray grade. Bright white in color.
 - 1. DynaSHIELD White Coating by Architectural Roof Coatings
 - 2. RC-W Elasto-Kote by KARNAK

3. All Season SEBS Roof Coating by US Ply
4. Sikalastic Lo-VOC Liquid Membrane by Sika
5. Physical Properties:
 - a. Solids by Weight (D1644): $50 \pm 2\%$
 - b. Solids by Volume (D2697): $37 \pm 2\%$
 - c. Weight per Gallon: 9.1 lbs.
 - d. Reflectance (Initial/Aged): 82% / 61%
 - e. Emittance (Initial/Aged): 0.95 / 0.91
- B. Primer Coat for adhesion to single-ply EPDM and TPO membranes.: Single-component polymer blend elastomer; brush, roller, or spray grade; semi-transparent in color:
 1. DynaSHIELD HP Primer by Architectural Roof Coatings
 2. ENERGYSIL SP Base Coat by US Ply
 3. Sikalastic GDC Primer
 4. Physical Properties:
 - a. Solids by Weight (D1644): $8.17 \pm 2\%$
 - b. Solids by Volume (D2697): $11.21 \pm 2\%$
 - c. Weight per Gallon: 7 lbs.
- C. Flashing Cement: Trowel grade single component, block copolymer elastomeric mastic that forms as a tough and durable elastomeric membrane. The mastic has elongation properties, cold weather pliability, UV and water resistance, chemical resistance and a highly reflective finish. May also be used in sealing interfaces with accessories such as drains, scuppers, and pitch pans.
 1. DynaSHIELD Flashing Grade by Architectural Roof Coatings
 2. 502 RC-W Elasto-Kote Seam Sealer by KARNAK
 3. All Season SEBS Flashing Grade by US Ply
 4. Sikalastic 500 Flash by Sika
 5. Physical Properties:
 - a. Solids by Weight (calculated): $68 \pm 2\%$
 - b. Solids by Volume (calculated): $52 \pm 2\%$
 - c. Weight per Gallon: 9.4 lbs.
- D. Polyester Reinforcing Fabric and Tape: Flexible 100% stitch bond polyester fleece sheet product of high tear strength and elongation and type or composition recommended by manufacturer for embedment of elastomeric coating. White in color. Weight: 0.9 pounds/100 SF. Size: 100mm, 150mm, and 1000mm (40 inch) width rolls:
 1. Topester by GAF/TopCoat
 2. M600 Polyester Fabric" by MEGA Industries.
 3. 3036 Poly-Mat by KARNAK
 4. Physical Properties:
 - a. Tensile Strength (ASTM D-1682): 57 lbs.
 - b. Elongation (ASTM D-1682): 61.5%
 - c. Mullen Burst (ASTM D-3786): 175 lbs
- E. Accessories and Cleaners: Supplied and/or recommended by manufacturer for product installation.
 1. Power Washer: minimum 3500 PSI / 250cc gasoline powered engine mounted on wheels with 10 meter hose and adjustable spray pressure nozzle

2. Power Drill & Mixing Paddle: heavy duty for cement, plaster, or paint. Such as Nordstrand PWTPM01 Pro Mixer Stirring Tool; 6 Speed; 1800Watt with 120mm round steel mixing paddle bit.
3. Caulking: Single component, non-sag elastomeric polyurethane sealant, as recommended or supplied by membrane manufacturer for use in making airtight and watertight seals such as Dynatrol I by Pecora Corp., white color.
4. Cleaning Solvent: 100% hydrocarbon for diluting solvent based coating products and cleaning
5. Mineral Spirits for thinning solvent based coatings
6. Roller Frames and Roller Sleeves; 225mm
7. Brushes; 50mm, 100mm, 150mm widths
- F. Membrane Repair Ply: Un-plasticized Polyvinyl Chloride (PVC) Sheet Membrane: ASTM D 4434/D 4434M, Type III, fabric reinforced for UV stable exposure membrane for field heat-welded applications.
- G. Miscellaneous Fasteners: Appropriate for purpose intended, length required for thickness of material. Replacement fasteners may be one size larger in diameter and depth. Select fastener finish metal to be compatible or of same metal as substrate.

PART THREE - EXECUTION

C.3.1 PREPARATION OF SUBSTRATE

- A. Contractor shall determine the condition of the existing structural deck/substrate. All defects in the deck or substrate shall be corrected before new solvent-based elastomeric coating commences. Areas of deteriorated deck/substrate, porous or other affected materials must be removed and replaced with new to match existing.
- B. Surface preparation is the most critical procedural requirement in paint applied coating systems. Remove all loose particles, delaminated paint, oil, grease, laitance, efflorescence, mild, mildew and other foreign materials. Areas shall be first scraped, swept clean, and then thoroughly power washed. Use high power adjustable pressure washer with a minimum 3500 PSI (Pounds per Square Inch) mechanical spray device.
- C. The contractor is responsible for removing or relocating all existing material and equipment as necessary to access the roof surface including but not limited to pipes, conduits, wiring, pavers, hoists, etc.
- D. Each individual container of elastomeric primer and top coats shall be thoroughly mixed using a heavy duty drill on slow RPM (Revolutions per Minute) with an elongated mixing paddle bit that will reach the bottom of the container. Coating shall be a uniform color, with no light or dark streaks present.
- E. Coatings shall be applied in temperatures of fifty degrees Fahrenheit (50°F / 10°C) or greater.

C.3.2 SINGLE-PLY SUBSTRATE

- A. Repair delaminated or unsound membrane surfaces for preparation of coating application. Membrane area abrasions, tears and splits shall be primed and fabric patched. Larger areas require flashing cement to build-up the area smooth with adjacent surfaces. Overlap fabric onto existing field and base flashing surfaces a minimum of 150 mm.
- B. Substrate shall receive a polymer primer for adhesion to single-ply surfaces.

C.3.3 THINNING SOLVENT-BASED ELASTOMERIC FOR SPRAY EQUIPMENT

- A. Thinning Mix: One quart mineral spirits to 5 gallons solvent-based elastomeric.
 - 1. Pour 1 gallon from a 5 gallon pail coating into another container. Add one quart mineral spirits to 4 gallons and mix thoroughly. Use an electric drill and mixing paddle. Add portions of the removed 1 gallon and continue to mix until the coating is properly thinned.
 - 2. Spray apply thinned elastomeric coating in two coats to meet minimum thickness.
- B. Additional Thinning Mix: Maximum two quarts mineral spirits to 5 gallons elastomeric.
 - 1. Spray apply thinned elastomeric coating in three coats to meet minimum thickness.
- C. DO NOT thin elastomeric coatings for brush or roller applications.

C.3.4 PRIMER APPLICATION

- A. Coverage rate: Apply primer at 0.7–1.4 gallons (2.65-5.30L) per 200 square feet (18 SM)
- B. Brush, roll or spray the elastomeric primer evenly onto the surface to fully saturate the substrate in one application with brush or roller; multiple applications with sprayer. DO NOT allow primer to pond or collect in low areas. Apply primer up to the perimeter roof edge of the flashing terminations and penetrations.
- C. Allow standard primer to cure for a minimum of twelve (12) hours before beginning base coats.
- D. DO NOT apply base coat over primer prematurely exposed to excessive moisture, primer used as temporary waterproofing, or primer older than eight (8) days. Exposure of the primer in excess of eight (8) days may require removal and application of new primer.

C.3.5 FIRST BASE COAT APPLICATION

- A. Coverage rate: Apply base at 0.7–1.4 gallons (2.65-5.30L) per 100 square feet. (9 SM)
- B. Brush, roll or spray the elastomeric base coat evenly onto the surface to fully saturate the substrate in one application with brush or roller; multiple applications with sprayer. DO NOT allow base to pond or collect in low areas. Apply base coat up to the perimeter roof edge of the flashing terminations and penetrations.
- C. Areas observed with residual “bleed” through of prior surfacing causing discoloration shall be re-coated to prevent discoloration.
- D. Allow standard base coat to cure for a minimum of four (4) hours before reinforcing fabric embedment into second coat of base coat.

C.3.6 SECOND BASE COAT APPLICATION and REINFORCING FABRIC EMBEDMENT

- A. Coverage rate: Apply base at 0.7–1.4 gallons (2.65-5.30L) per 100 square feet. (9 SM)
- B. Reinforcing fabric embedment requires either hand brush or roller application to evenly lay the fabric within the base coat. The base shall be rolled or brushed liberally and evenly onto the surface using a broad, even strokes.
- C. The fleece fabric can only hold so much base coat and all excess shall be rolled forward to the unsaturated fleece, eliminating ponding or excessive build-up.
 - 1. Reinforcing Fabric Full Coverage: Roll out polyester fleece with smooth side facing up (natural unrolling procedure) into the primer. The fleece will begin to rapidly saturate with the liquid coating.
 - 2. Use a medium nap roller or brush to work the primer into the fleece, saturating from the bottom up, and eliminating air bubbles, folds and wrinkles.
 - 3. The appearance of the saturated fleece shall be light opaque with no white spots. White spots are indications of unsaturated fleece or lack of adhesion
 - 4. Allow 75mm overlap for all side joints and 100mm overlap for all end joints.

- D. Apply final coat of base on top of fleece fabric to finish the saturation of the fleece. Roll this final coating into the fleece, shall result in a semi-gloss appearance.
- E. Allow second base to cure for a minimum of twenty four (24) hours before finish coats.

C.3.7 FLASHING DETAILING

- A. Using a trowel, apply flashing grade cement at any areas where there are roof terminations, penetrations, flashings, seams or transitional joints. It may be applied to both horizontal and vertical surfaces and will bridge gaps up to 12mm in width.
- B. Reinforcing fabric may be embedded in flashing cement for additional strength and mobility. Fabric must be used around penetrations and to bridge large openings.
- C. Reinforce all inside and outside corners with a 100mm diameter conical piece of fabric prior to installing the flashing layer.
- D. Flashing is typically constructed as a two part assembly consisting of a vertical wrap and a horizontal target patch. There must be a minimum of a 100mm overlap between vertical and horizontal flashing components.
- E. Flashing material shall extend 100mm minimum onto drains, scuppers, or insert flanges.

C.3.8 FINISH TOP COAT APPLICATION

- A. Coverage rate: Apply finish top coats at 0.7–1.4 gallons (2.65-5.30L) per 100 square feet (9 SM). Based on first finish coat smooth texture, the second top coat may be reduced to 0.5 gallons (2.50L) to 100 square feet (9 SM).
- B. Brush, roll or spray the elastomeric top coat evenly onto the surface to fully saturate the primed surfaces in one application with brush or roller; multiple applications with sprayer. DO NOT allow coating to pond or collect in low areas.
- C. Apply elastomeric top coat up to the perimeter roof edge of the flashing terminations and penetrations.
- D. Allow to cure for a minimum of twenty four (24) hours before second finish coat.
- E. DO NOT allow any excess coating to remain on the surface, the correct amount of coating will leave no fibrous surface texture from the fleece fabric. The final coating should be smooth, uniform, and bright white.
- F. Dry finish (1 prime coat + 2 base coats + 2 top coats) thickness: 48 mils.

C.3.9 FIELD QUALITY CONTROL

- A. The Consulate or OBO may direct Contractor to stop applying coatings if results show materials being used do not comply with specified requirements or coating materials and accessories are not compatible. Contractor shall remove noncomplying coating materials from site, pay for testing, and recoat surfaces.

C.3.10 CLEANING and ADJUSTING

- A. After completing coating application, clean spattered surfaces. Remove spattered coatings by washing, scraping, or other methods. Do not scratch or damage adjacent finished surfaces.
- B. During progress of work, remove discarded paint materials, rubbish, cans, and rags from site at end of each work day. Thoroughly mixed and cured coating products may be disposed of in standard landfills. Uncured products are considered a hazardous material and must be handled as such, and disposed in accordance with local regulations.
- C. Contractor is responsible for reinstalling all disconnected equipment after the completion of coating works to include but not limited to resetting rooftop equipment on protective pads,

reconnecting pipes, conduit, wiring, hoists, placing the relocated/removed pavers back to their original position, etc.


- D. Reactivation of the equipment to its original condition shall be provided by Contractor.
- E. Correct any damage by cleaning, repairing or replacing, and painting as acceptable to the Consulate.


PART FOUR - SCHEDULE

C.4.1 PERIOD OF PERFORMANCE:

- A. Solicitation & Award of Contract:
 - 1. Pre-Proposal Site Visit To be determined
 - 2. Award Zero Day
- B. Pre-Construction Submittals:
 - 1. Insurance & Bonding: 10 days after Award
 - 2. Schedule & Product Data: 20 days
 - 3. OBO & Consulate Approval: 10 days
 - 4. Crew Information: 10 days
 - 5. Consulate Review: 20 days
- C. Mobilization & Construction:
 - 1. Repair Roof Area A 15 days
 - 2. Repair Roof Area B 15 days
 - 3. Final Cleanup Begins: 2 days prior to completion
- D. TOTAL DAYS ON-SITE 30 days on-site
- E. **TOTAL PERIOD of PERFORMANCE: 100 days**
- F. Winter/Rainy Season: December to April

PART FIVE - DRAWINGS





PART FIVE – NON-BINDING CONTRACT INFORMATION
C.6.0 TYPICAL ROOF COATING STEPS



POWER WASH PREPARATION



PRIMER, BASE & REINFORCING FABRIC



SECOND COATS



FINAL FINISH (& ENERGY EFFICIENT)

C.6.1 ROOF PHOTOGRAPHS



RESIDENCE A – Roof01



RESIDENCE A – Roof02



RESIDENCE A – Roof03



RESIDENCE A – Roof04



RESIDENCE A – Roof05



RESIDENCE A – Roof06



RESIDENCE A – Roof07



RESIDENCE A – Roof08



RESIDENCE B – Roof01




RESIDENCE B – Roof02



RESIDENCE B – Roof03



RESIDENCE B – Roof04



RESIDENCE B – Roof05



RESIDENCE B – Roof06



RESIDENCE B – Roof07



RESIDENCE B – Roof08

END OF SOW



Regional Security Office Tokyo Security Form

Please type or write in legible block letters.

Use number 19 if you need extra space for your detailed answers.

和文・英文両方で明確に書いて下さい。 英文に関しては、タイプするか活字体で記入して下さい。

(記入欄が不足した場合には、設問 19 にそれぞれの番号を付した上、ご記入ください。)

1. Name

氏名

(LAST /苗字)

/

(First/名前)

/

(Middle)

2. Alias/Maiden name

別姓・旧姓

3. Date of Birth

生年月日

Year

年

Month

月

Day

日

4. Nationality 国籍

5. Marital Status 婚暦

☐

Single
独身

☐

Married
婚姻

☐

Widowed
寡婦/夫

☐

Divorced
離婚

6. Place of Birth (City/State) 出生地(都道府県/区市町村)

7. Permanent

Address

本籍地

8. Present Address

現住所

〒

9. TEL :

CELL:

EMAIL:

10. Previous addresses of past 7 years. From present to past. (過去7年間の住所を新しい順に。)

Duration 期間

Address 住所

(例'98年4月～'00年9月

〒107-0051 東京都港区赤坂1-10-5)

PHOTO

11. Last Education (最終学歴)

DATES	NAME OF SCHOOL	DEPARTMENT, MAJOR	ADDRESS
~			
期間	学校名	学部・学科	住所
~			

12. Employments of past 7 years. From present to past. (過去7年間の職業。新しい順に)
(From/ To/ Name of Company / Address, 期間 / 会社名 / 所在地)

Dates/期間	Name of Company/ 就業先名	Address and Phone Number/ 住所、電話番号
~		
~		
~		
~		
~		
~		
~		

13. Biological Sketch (Parents, Spouse, Children, Siblings, In-Laws)
家族構成(両親、配偶者、子供、兄弟姉妹、義父母)

Name	Relationship	DOB	Nationality	Occupation (Detailed)	Residence(City,Country)
名前	関係	生年月日	国籍	職業(具体的に)	居住地(町, 国)
	父 (Father)				
	母 (Mother)				

14. Three References residing in Japan: **Do not include family or relatives.**
(日本在住の参考人3名、住所と電話番号。家族及び親戚を除く。)

Name / 名前	Address / 住所
勤務先, 就学先名	郵便番号 Telephone/ 電話番号
	〒
	〒
	〒

15. Travel History (List your overseas travel in the last 7 years, start with most recent one.) 渡航歴 (現在から過去 7 年まで遡って記入してください。)				
Country 国名	DATES 期間		Type of Visa ビザ	Pirpose 目的
	From	To		

16. Health Conditions 健康状態 (If answer is "YES" please give details under Item #19.)		
"YES" の回答があれば、設問19に詳細を書き込んでください。	YES	NO
Have you now or have you ever had any physical limitations? 過去に身体的制約（ハンディキャップ）を持っていた、もしくは現在持っていますか？	<input type="checkbox"/>	<input type="checkbox"/>
Are you now under a physician's care? 現在、医師にかかっていますか？	<input type="checkbox"/>	<input type="checkbox"/>
Have you ever had a nervous disorder? 神経系疾患を患った事がありますか？	<input type="checkbox"/>	<input type="checkbox"/>
Have you ever had tuberculosis? 結核を患った事がありますか？	<input type="checkbox"/>	<input type="checkbox"/>
Within the past 12 months, have you used intoxicating beverages or drug to excess? 過去 12 ヶ月内で酒類や薬物を過剰に摂取しましたか？	<input type="checkbox"/>	<input type="checkbox"/>
Do you have a drug, narcotic or alcohol addiction? 薬物、麻薬もしくはアルコール依存の症状がありますか？	<input type="checkbox"/>	<input type="checkbox"/>

17. Have you ever been arrested or detained by any police or military authority? If so, name the authority, give the time, place and reason for arrest or detention and the disposition of court action.
警察に逮捕されたことがありますか？あれば警察名、年月日、場所、理由、処分等を記入してください。

18. Draw a map of your residence to the nearest train station using the space below.
最寄りの駅より自宅までの地図を詳細に書いて下さい。

19. Use this space for detailed answers. Number answers to correspond with the questions. Use extra blank pages, if necessary.

空欄を使用し、設問の番号と共に回答の詳細を記入してください。必要であれば空白のページを追加して下さい。

This is to certify that the information provided herein is true to the best of my knowledge.
以上相違ありません。

Signature (署名)

Date (日付)